

UNIVERSITY OF CALIFORNIA RIVERSIDE Executive Summary

Spring 2025

American College Health Association National College Health Assessment III

ACHA-NCHA III

The ACHA-NCHA III supports the health of the campus community by fulfilling the academic mission, supporting short- and long-term healthy behaviors, and gaining a current profile of health trends within the campus community.



All Rights Reserved

Table of Contents

II. Findings

III.

A. General Health and Campus Climate	2
B. Nutrition, BMI, Physical Activity, and Food Security	2
C. Healthcare Utilization	3
D. Impediments to Academic Performance	4
E. Violence, Abusive Relationships, and Personal Safety	6
F. Tobacco, Alcohol, and Other Drug Use	7
G. Sexual Behavior	10
H. Mental Health and Wellbeing	1
I. Acute Conditions	1
J. Ongoing or Chronic Conditions	1
K. Sleep	1
Demographics and Sample Characteristics	1

ACHA, the nation's principal advocate and leadership organization for college and university health, represents a diverse membership that provides and supports the delivery of healthcare and prevention and wellness services for the nation's 20 million college students. For more information about the association's programs and services, visit www.acha.org, and www.acha.org/NCHA.

Suggested citation for this document:

American College Health Association. American College Health Association-National College Health Assessment III: University of California Riverside Executive Summary Spring 2025. Silver Spring, MD: American College Health Association; 2025.

Introduction and Notes

The ACHA-National College Health Assessment (ACHA-NCHA) is a national research survey organized by the American College Health Association (ACHA) to assist college health service providers, health educators, counselors, and administrators in collecting data about their students' habits and behaviors on the most prevalent health topics. The ACHA-NCHA now provides the largest known comprehensive data set on the health of college students, providing the college health and higher education fields with a vast spectrum of information on student health.

ACHA initiated the original ACHA-NCHA in 2000 and the instrument was used nationwide through the Spring 2008 data collection period. A revised survey, the ACHA-NCHA-II, was in use from Fall 2008 - Spring 2019 data collection periods. The survey was redesigned again, and data collection with the ACHA-NCHA III began in Fall 2019.

Please note that it is not appropriate to compare trends between versions of the survey. Directly comparing data points between the Original ACHA-NCHA, the ACHA-NCHA II, and the ACHA-NCHA III can lead to an erroneous conclusion and is not recommended.

Notes about this report:

1. Missing values have been excluded from analysis and only valid percents are included in this document, unless otherwise noted.

2. The ACHA-NCHA III is programmed differently than earlier versions of the survey. Rather than asking the respondents to answer every question (and offering a "not applicable" option), display logic was used throughout the survey to determine whether, based on their response to an earlier question, the student saw a follow-up question. This makes the valid percents of certain questions impossible to apply to the entire sample, as the denominator used was limited to only the number of students that saw the question. When appropriate, results are also presented using the entire sample as the denominator to show the proportion of the overall sample that experienced a particular issue. These differences in presentation are carefully noted throughout the document and will often explain differences observed between this document and the full data report. Please look carefully at descriptions of the data presented in each table, as well as any footnotes included.

3. About the use of sex and gender in this report: Survey results are reported by sex based on the responses to questions 67A, 67B, and 67C. The responses to these questions are used to create a new variable called RSEX. RSEX is used for organizing results in the ACHA-NCHA report documents. Respondents are reported as cis men or cis women only when their responses to 67A, 67B, and 67C are consistent with one another. If gender identity is consistent with sex at birth AND "no" is selected for transgender, then respondents are designated as either cis men or cis women in RSEX. If respondents select "yes" for transgender OR their sex at birth is not consistent with their gender identity, then they are designated as transgender/gender non-conforming in RSEX. A respondent that selects "intersex" for sex at birth, "no" for transgender, or selects a gender identity other than man or woman are designated as transgender/gender non-conforming in RSEX. A respondent that selects "intersex" for sex at birth, "yes" for transgender, or selects a gender identity other than man or woman are designated as transgender/gender non-conforming in RSEX. A respondent that selects "intersex" for sex at birth, "yes" for transgender, or selects a gender identity other than man or woman are designated as transgender/gender non-conforming in RSEX. A respondent that selects "intersex" for sex at birth, "yes" for transgender, or selects a gender identity other than man or woman are designated as transgender/gender non-conforming in RSEX. A respondent that selects "another identity" on 67C is designated missing in RSEX. A respondent that skips any of the three questions is designated as missing in RSEX. Totals displayed in this report include missing responses. Please see the ACHA-NCHA III survey codebook for more information about how data on sex and gender are coded.

Beginning in Spring 2021, responses for transgender and gender-nonconforming students became readily available directly in the report documents. We've prepared the following tips for using these report documents.

Important considerations with this format:

- Percentages in the Executive Summary may represent a very small number of transgender/gender non-conforming students and can limit the generalizability of a particular finding. To assist with the interpretation of the percentages displayed in the Executive Summary, the total sample size for each group has been added to every page.

- We encourage ACHA-NCHA surveyors to carefully review their report documents, particularly among the student demographic variables, and consider students who may be inadvertently identified in the results based on a unique combination of the demographic characteristics before sharing the documents widely or publicly. This is especially true for very small schools, as well as schools that lack diversity in the student population.

- Think about the implication of working with and documenting very small samples – from the perspective of making meaningful interpretations, as well as the privacy of respondents. This is true of all demographic variables, and not limited to gender identity. You may consider a minimum cell size or another threshold by which you make decisions about making your Institutional Data Report publicly available. It is less of a concern in your Institutional Executive Summary as we only display the percentages with the overall sample size.

4. To see a list of changes made to the current and past surveys, click here: https://www.acha.org/ncha/resources/resources-for-participating-institutions/currentsurvey/.

For additional information about the survey's development, design, and methodology, email Mary T Hoban, PhD, MCHES, (mhoban@acha.org), Christine Kukich, MS (ckukich@acha.org), or visit www.acha-ncha.org.

This Executive Summary highlights results of the ACHA-NCHA III Spring 2025 survey for University of California Riverside consisting of 171 respondents.

The response rate was 3.6%.

Findings

			Cis Men n =	45
			Cis Women n =	111
A. General Health and Campus Clir	nate		Trans/GNC n =	8
• 46.8 % of college students surveyed (described their health as very good or exc	65.0 % cis men, ellent.	43.1 % cis women, and	0.0 % transgender/gender non-confo	rming)
• 86.5 % of college students surveyed (92.5 % cis men.	86.3 % cis women, and	57.1 % transgender/gender non-confo	• 、

• 86.5 % of college students surveyed (92.5 % cis men, described their health as good, very good, or excellent .

57.1 % transgender/gender non-conforming)

Total

60.2

57.9

63.7

55.3

Proportion of college students who reported they agree or strongly agree that:				Trans/
		Cis Men	Cis Women	Gender Non-
	Percent (%)			conforming
I feel that I belong at my college/university		75.6	55.0	50.0
I feel that students' health and well-being are a priority of my college/university		60.0	60.4	37.5
I feel that the climate of my college/university encourages free and open discussion about	students'			
health and well-being		66.7	63.1	75.0
We are a college/university where we look out for each other		57.8	54.5	62.5

B. Nutrition, BMI, Physical Activity, and Food Security

			Trans/	
College students reported:	Cis Men	Cis Women	Gender Non-	Total
Perce	ent (%)		conforming	
Drinking 0 sugar-sweetened beverages (per day), on average, in the last 7 days	37.8	26.4	0.0	28.5
Drinking 1 or more sugar-sweetened beverages (per day), on average, in the last 7 days	62.2	73.6	100.0	71.5
Drinking energy drinks or shots on 0 of the past 30 days	57.8	73.8	75.0	69.1
Drinking energy drinks or shots on 1-4 of the past 30 days	31.1	10.3	0.0	15.8
Drinking energy drinks or shots on 5 or more of the past 30 days	11.1	15.9	25.0	15.2
Eating 3 or more servings of fruits (per day), on average, in the last 7 days	17.8	16.5	0.0	16.1
Eating 3 or more servings of vegetables (per day), on average, in the last 7 days	33.3	33.9	0.0	31.0

Estimated Body Mass Index (BMI): This figure incorporates reported height and weight to form a general indicator of physical health. Categories defined by The World Health Organization (WHO) 2000, reprinted 2004. Obesity: Preventing and Managing the Global Epidemic. WHO Tech Report Series: 894.

			Trans/	
	Cis Men	Cis Women	Gender Non-	Total
BMI P	ercent (%)		conforming	
<18.5 Underweight	0.0	12.1	12.5	8.7
18.5-24.9 Healthy Weight	48.9	53.3	37.5	51.6
25-29.9 Overweight	24.4	19.6	25.0	21.1
30-34.9 Class I Obesity	15.6	6.5	0.0	8.7
35-39.9 Class II Obesity	8.9	5.6	12.5	6.8
≥40 Class III Obesity	2.2	2.8	12.5	3.1
Mean	26.5	24.9	27.0	25.5
Median	25.1	23.0	24.0	24.0
Std Dev	5.7	7.1	7.8	6.7

Students meeting the recommended guidelines for physical activity

Based on: US Dept of Health and Human Services. Physical Activities Guidelines for Americans, 2nd edition.	Cis Men n =	45
Washington, DC: US Dept of Health and Human Services; 2018	Cis Women n =	111
	Trans/GNC n =	8

Definitions:

- Recommendation for **aerobic activity**: 150 minutes or more of moderate-intensity physical activity per week or 75 minutes of vigorous-intensity physical activity or the equivalent combination
- Recommendation for strength training: 2 or more days a week of moderate or greater intensity activities that involve all major muscle groups
- Active Adults meet the recommendation for strength training AND aerobic activity
- Highly Active Adults meet the recommendation for strength training and TWICE the recommendation for aerobic activity (300 minutes or more of moderate-intensity physical activity per week or 150 minutes of vigorous-intensity physical activity or the equivalent combination)

				Trans/	
	Percent (%)	Cis Men	Cis Women	Gender Non- contorming	Total
Guidelines met for aerobic exercise only		75.6	74.5	62.5	74.0
Guidelines met for Active Adults		62.2	34.5	12.5	41.4
Guidelines met for Highly Active Adults		37.8	26.4	12.5	29.6

Food Security

E١

Based on responses to the US Household Food Security Survey Module: Six-Item Short Form (2012) from the USDA Economic Research Service.

			Trans/	
	Cis Men	Cis Women	Gender Non-	Total
Per	cent (%)		conforming	
High or marginal food security (score 0-1)	57.8	54.6	62.5	55.1
Low food security (score 2-4)	31.1	25.0	12.5	25.7
Very low food security (score 5-6)	11.1	20.4	25.0	19.2
Any food insecurity (low or very low food security)	42.2	45.4	37.5	44.9

C. Health Care Utilization

College students reported:		Cis Men	Cis Women	Trans/ Gender Non-	Total
	Percent (%)			conforming	
Receiving psychological or mental health services within the last 12 months		20.0	28.2	62.5	28.4
Visiting a medical provider within the last 12 months		48.9	64.5	50.0	60.1

				Trans/	
		Cis Men	Cis Women	Gender Non-	Total
	Percent (%)			conforming	
Ever prescribed medication for a mental health condition	-	11.1	24.5	37.5	21.4
Prescribed before starting at current college/university*		8.9	16.2	25.0	14.6
Prescribed after starting at current college/university*		2.2	7.2	12.5	5.8
Last 12 months, prescribed medication for a mental health condition*		4.4	8.1	37.5	8.8
Last 12 months, prescribed medication for a mental nearth condition		4.4	0.1	57.5	0.0

*These figures use all students in the sample as the denominator, rather than just those students

	who have ever been prescribed medication for a mental health condition				Trans/	
			Cis Men	Cis Women	Gender Non-	Total
	F	Percent (%)			conforming	
Ever	r had counseling for a mental health condition		20.0	35.5	37.5	31.5
	Started counseling before starting at current college/university*		6.7	26.1	25.0	21.1
	Started counseling after starting at current college/university*		13.3	8.1	12.5	9.4
	Last 12 month, had counseling for a mental health condition*		11.1	16.2	37.5	16.4

*These figures use all students in the sample as the denominator, rather than just those students

who have ever had counseling for a mental health condition

Cis Men n =	45
Cis Women n =	111
Trans/GNC n =	8

College students reported:				Trans/	
	Cis Percent (%)	s Men	Cis Women	Gender Non- conforming	Total
Flu vaccine within the last 12 month		53.3	57.3	25.0	54.5
Not starting the HPV vaccine series	:	15.6	12.8	12.5	13.9
Starting, but not completing HPV vaccine series		2.2	6.4	0.0	4.8
Completing HPV vaccine series	4	40.0	49.5	50.0	47.0
Not knowing their HPV vaccine status	4	42.2	31.2	37.5	34.3
Ever having a GYN visit or exam (females only)			37.3	12.5	
Having a dental exam in the last 12 months	-	77.8	72.1	87.5	74.4
Being tested for HIV within the last 12 months		8.9	6.4	0.0	7.8
Being tested for HIV more than 12 months ago		8.9	10.1	12.5	10.2
Wearing sunscreen usually or always when outdoors		15.6	49.5	0.0	38.7
Spending time outdoors with the intention of tanning at least once in the last 12 months	:	15.9	31.8	12.5	25.8

D. Impediments to Academic Performance

Respondents are asked in numerous places throughout the survey about issues that might have negatively impacted their academic performance within the last 12 months. This is defined as negatively impacting their performance in a class or delaying progress towards their degree. Both types of negative impacts are represented in the figures below. Please refer to the corresponding Data Report for specific figures on each type of impact. Figures in the left columns use all students in the sample as the denominator. Figures in the right columns use only the students that experienced that issue (e.g. students who used cannabis, reported a problem or challenge with finances, or experienced a particular health issue) in the denominator. (items are listed in the order in which they appear in the survey)

	Negatively impacted academic performance				
	amo	among <u>all students in the sample</u>			
			Trans/		
	Cis Men	Cis Women	Gender Non-	Total	
Percent (%)			conforming		
Alcohol use	0.0	0.0	0.0	0.0	
Cannabis/marijuana use	0.0	0.0	0.0	0.0	
-					
Pregnancy or a partner's pregnancy	0.0	0.0	0.0	0.0	
Problems or challenges in the last 12 months					
Career	6.7	11.7	37.5	11.1	
Finances	6.7	18.0	50.0	16.4	
Procrastination	44.4	42.3	87.5	43.9	
Faculty	2.2	3.6	12.5	4.1	
Family	6.7	10.8	50.0	11.7	
Intimate Relationships	4.4	8.1	25.0	8.2	
Roommate/housemate	6.7	6.3	25.0	7.6	
Peers	4.4	4.5	25.0	5.8	
Personal appearance	0.0	4.5	37.5	4.7	
Health of someone close to me	6.7	4.5	25.0	5.8	
Death of a family member, friend, or someone close					
to me	2.2	8.1	25.0	7.0	
Bullying	0.0	3.6	12.5	2.9	
Cyberbullying	0.0	0.9	12.5	1.2	
Hazing	0.0	0.0	0.0	0.0	
Microaggression	2.2	2.7	25.0	3.5	
Sexual Harassment	0.0	0.9	12.5	2.3	
Discrimination	0.0	2.7	12.5	2.9	

among only students that experienced the issue				
		Trans/		
Cis Men	Cis Women	Gender Non-	Total	
		conforming		
0.0	0.0	0.0	0.0	
0.0	0.0	0.0	0.0	
0.0	0.0	0.0	0.0	
25.0	32.5	60.0	32.8	
30.0	37.0	80.0	39.4	
69.0	59.5	87.5	63.6	
33.3	26.7	50.0	33.3	
60.0	30.0	80.0	37.7	
16.7	27.3	50.0	27.5	
60.0	31.8	50.0	39.4	
25.0	26.3	50.0	30.3	
0.0	7.2	42.9	8.8	
42.9	16.7	33.3	22.7	
33.3	37.5	50.0	38.7	
0.0	80.0	50.0	62.5	
0.0	100.0	50.0	50.0	
0.0	0.0	0.0	0.0	
20.0	20.0	50.0	23.1	

16.7

37.5

0.0

0.0

Negatively impacted academic performance

50.0

50.0

33.3

33.3

Cis Men n =	45
Cis Women n =	111
Trans/GNC n =	8

Negatively impacted academic performance

	regulively impleted deddeline performance			
	among <u>all students in the sample</u>			
			Trans/	
	Cis Men	Cis Women	Gender Non-	Total
Percent (%)			conforming	
Acute Diagnoses in the last 12 months				
Bronchitis	0.0	0.9	12.5	1.2
Chlamydia	0.0	0.0	0.0	0.0
Chicken Pox (Varicella)	0.0	0.0	0.0	0.0
Cold/Virus or other respiratory illness	8.9	9.9	0.0	9.4
Concussion	0.0	0.0	0.0	0.0
Gonorrhea	2.2	0.0	0.0	0.6
Flu (influenza or flu-like illness)	8.9	5.4	0.0	5.8
Mumps	0.0	0.0	0.0	0.0
Mononucleosis (mono)	0.0	0.0	0.0	0.0
Orthopedic injury	0.0	0.9	0.0	0.6
Pelvic Inflammatory Disease	0.0	0.0	0.0	0.0
Pneumonia	0.0	0.0	0.0	0.0
Shingles	0.0	0.0	0.0	0.0
Stomach or GI virus or bug, food poisoning or gastritis	0.0	4.5	0.0	3.5
Urinary tract infection	0.0	0.9	0.0	1.2

			Trans/	
	Cis Men	Cis Women	Gender Non-	Total
Percent (%	5)		conforming	
Any ongoing or chronic medical conditions diagnosed				
or treated in the last 12 months	6.7	19.8	50.0	18.1
Other impediments to academic performance				
Assault (physical)	2.2	1.8	0.0	1.8
Assault (sexual)	0.0	1.8	0.0	1.2
Allergies	6.7	2.7	12.5	4.1
Anxiety	15.6	27.0	37.5	24.6
ADHD or ADD	4.4	3.6	25.0	4.7
Concussion or TBI	2.2	0.0	0.0	0.6
Depression	11.1	13.5	37.5	14.6
Eating disorder/problem	4.4	3.6	25.0	4.7
Headaches/migraines	8.9	12.6	12.5	11.1
Influenza or influenza-like illness (the flu)	4.4	7.2	0.0	5.8
Injury	2.2	0.0	12.5	1.2
PMS	0.0	11.7	0.0	8.2
PTSD	4.4	1.8	0.0	2.3
Short-term illness	0.0	4.5	12.5	4.1
Upper respiratory illness	0.0	4.5	12.5	4.1
Sleep difficulties	15.6	16.2	37.5	17.0
Stress	24.4	28.8	37.5	28.1

Negatively impacted academic performance among <u>only students that experienced the issue</u>

<u> </u>		Trans/	
Cis Men	Cis Women	Gender Non-	Total
		conforming	
0.0	33.3	100.0	50.0
0.0	0.0	0.0	0.0
0.0	0.0	0.0	0.0
50.0	42.3	0.0	44.4
0.0	0.0	0.0	0.0
100.0	0.0	0.0	100.0
100.0	42.9	0.0	55.6
0.0	0.0	0.0	0.0
0.0	0.0	0.0	0.0
0.0	100.0	0.0	100.0
0.0	0.0	0.0	0.0
0.0	0.0	0.0	0.0
0.0	0.0	0.0	0.0
0.0	50.0	0.0	54.5
0.0	20.0	0.0	28.6

Cis Men	Cis Women	Trans/ Gender Non- conforming	Total
12.5	28.9	57.1	28.4

100.0	50.0	0.0	60.0
0.0	40.0	0.0	33.3
20.0	7.9	50.0	12.7
46.7	46.9	60.0	48.8
33.3	80.0	66.7	57.1
100.0	0.0	0.0	100.0
50.0	42.9	75.0	49.0
100.0	33.3	50.0	42.1
36.4	30.4	50.0	31.7
28.6	42.1	0.0	38.5
33.3	0.0	100.0	25.0
0.0	35.1	0.0	35.0
66.7	66.7	0.0	44.4
0.0	29.4	100.0	33.3
0.0	19.2	100.0	21.2
53.8	34.6	60.0	40.3
57.9	41.0	50.0	45.7

Cis Men n =	45
Cis Women n =	111
Trans/GNC n =	8

Trans/

E. Violence, Abusive Relationships, and Personal Safety

Within the last 12 months, college students reported experiencing:

	Cis Men	Cis Women	Gender Non-	Total
Percent (%)		conforming	
A physical fight	0.0	0.9	0.0	1.2
A physical assault (not sexual assault)	0.0	1.8	0.0	1.2
A verbal threat	4.4	5.5	12.5	5.4
Sexual touching without their consent	2.3	4.6	0.0	4.2
Sexual penetration attempt without their consent	0.0	1.9	0.0	1.2
Sexual penetration without their consent	0.0	1.8	0.0	1.2
Being a victim of stalking	0.0	2.8	0.0	1.8
A partner called me names, insulted me, or put me down to make me feel bad	6.7	4.5	0.0	5.3
A partner often insisted on knowing who I was with and where I was or tried to limit my contact				
with family or friends	4.4	3.7	0.0	3.6
A partner pushed, grabbed, shoved, slapped, kicked, bit, choked or hit me without my consent	4.4	0.0	0.0	1.2
A partner forced me into unwanted sexual contact by holding me down or hurting me in some way	0.0	0.9	0.0	0.6
A partner pressured me into unwanted sexual contact by threatening me, coercing me, or using				
alcohol or other drugs	0.0	2.8	0.0	2.4

College students reported feeling very safe*:

C' A A A			
Cis Men	Cis Women	Gender Non- conforming	Total
97.8	75.9	62.5	81.0
68.2	13.1	12.5	27.7
55.8	23.1	25.0	31.5
32.6	6.7	0.0	13.0
	eent (%) 97.8 68.2 55.8	eent (%) 97.8 75.9 68.2 13.1 55.8 23.1	conforming 97.8 75.9 62.5 68.2 13.1 12.5 55.8 23.1 25.0

*Note: "Does not apply" responses were removed from the total in the denominator

Cis Men n =	45	
Cis Women n =	111	
Trans/GNC n =	8	

F. Tobacco, Alcohol, and Other Drug Use

		Ever U	Jsed	
			Trans/	
	Cis Men	Cis Women	Gender Non-	Total
Percent (%) Tobacco or nicotine delivery products (cigarettes, e-			conforming	
cigarettes, Juul or other vape products, water pipe or				
	04.4	00.0	40.5	04.4
hookah, chewing tobacco, cigars, etc.)	24.4	23.9	12.5	24.4
Alcoholic beverages (beer, wine, liquor, etc.)	53.3	55.0	25.0	53.0
Cannabis (marijuana, weed, hash, edibles, vaped	~	0 0 1	40.5	
cannabis, etc.) [Please report nonmedical use only.]	34.1	28.4	12.5	29.9
Cocaine (coke, crack, etc.)	2.3	3.7	0.0	3.0
Prescription stimulants (Ritalin, Concerta, Dexedrine,				
Adderall, diet pills, etc.) [Please report nonmedical use				
only.]	2.2	3.7	0.0	3.6
Methamphetamine (speed, crystal meth, ice, etc.)	0.0	0.9	0.0	0.6
Inhalants (poppers, nitrous, glue, gas, paint thinner,				
etc.)	2.2	2.8	0.0	3.6
Sedatives or Sleeping Pills (Valium, Ativan, Xanax,				
Klonopin, Librium, Rohypnol, GHB, etc.) [Please report				
nonmedical use only.]	4.4	4.6	0.0	4.8
Hallucinogens (Ecstasy, MDMA, Molly, LSD, acid,				
mushrooms, PCP, Special K, etc.)	8.9	8.3	12.5	9.0
Heroin	0.0	0.0	0.0	0.0
Prescription opioids (morphine, codeine, fentanyl,				
oxycodone [OxyContin, Percocet], hydrocodone				
[Vicodin], methadone, buprenorphine [Suboxone],				
etc.) [Please report nonmedical use only.]	2.2	0.0	0.0	1.2
*These figures use all students in the sample as the denominator rather	than just thos	e students who re	norted lifetime use	

*These figures use all students in the sample as the denominator, rather than just those students who reported lifetime use.

Substance Specific Involvement Scores (SSIS) from the ASSIST

		*Mode	erate risk use	of the substan	ce
				Trans/	
	Percent (%)	Cis Men	Cis Women	Gender Non- conforming	Total
Tobacco or nicotine delivery products		8.9	9.0	0.0	8.8
Alcoholic beverages		4.4	1.8	0.0	2.3
Cannabis (nonmedical use)		13.3	9.0	0.0	9.9
Cocaine		0.0	0.0	0.0	0.0
Prescription stimulants (nonmedical use)		0.0	1.8	0.0	1.2
Methamphetamine		0.0	0.0	0.0	0.0
Inhalants		0.0	0.0	0.0	0.6
Sedatives or Sleeping Pills (nonmedical use)		2.2	0.9	0.0	1.2
Hallucinogens		0.0	0.0	0.0	0.0
Heroin		0.0	0.0	0.0	0.0
Prescription opioids (nonmedical use)		0.0	0.0	0.0	0.0

*These figures use all students in the sample as the denominator, rather than just those students who reported lifetime use.

	*Used in the last	t 3 months	
		Trans/	
Cis Men	Cis Women	Gender Non- conforming	Total
17.8	15.3	0.0	16.4
48.9	47.7	12.5	46.2
22.2	15.3	12.5	18.1
0.0	0.9	0.0	0.6
0.0	0.9	0.0	0.6
0.0	0.0	0.0	0.0
0.0	1.8	0.0	1.8
2.2	0.9	0.0	1.2
4.4	1.8	0.0	2.3
0.0	0.0	0.0	0.0
0.0	0.0	0.0	0.0
0.0	0.0	0.0	0.0

*High	risk	use	of	the	substance
-------	------	-----	----	-----	-----------

1116	ii iisk use of ti	ic substance	
		Trans/	
Cis Men	Cis Women	Gender Non- conforming	Total
0.0	0.0	0.0	0.0
2.2	0.9	0.0	1.2
0.0	0.0	0.0	0.0
0.0	0.9	0.0	0.6
0.0	0.0	0.0	0.0
0.0	0.0	0.0	0.0
0.0	0.0	0.0	0.0
0.0	0.0	0.0	0.0
0.0	0.0	0.0	0.0
0.0	0.0	0.0	0.0
0.0	0.0	0.0	0.0

*Proportion of students who were prescribed a medication and used more than prescribed or more often than prescribed in the past 3 months

				Trans/	
		Cis Men	Cis Women	Gender Non-	Total
	Percent (%)			conforming	
Prescription stimulants		0.0	0.9	0.0	0.6
Prescription sedatives or sleeping pills		2.2	0.9	0.0	1.2
Prescription opioids		0.0	0.0	0.0	0.0

Cis Men n =	45
Cis Women n =	111
Trans/GNC n =	8

*These figures use all students in the sample as the denominator, rather than just those students who reported having a prescription. Note that the title of this table was changed in Fall 2022, but the figures remain the same.

*Tobacco or nicotine delivery products used in the last 3 months

			Trans/	
Percent (%)	Cis Men	Cis Women G	Gender Non- conforming	Total
Cigarettes	8.9	6.3	0.0	7.0
E-cigarettes or other vape products (for example:				
Juul, etc.)	13.3	10.8	0.0	11.1
Water pipe or hookah	0.0	0.0	0.0	0.0
Chewing or smokeless tobacco	0.0	0.0	0.0	0.0
Cigars or little cigars	2.2	0.9	0.0	1.2
Other	2.2	0.0	0.0	0.6

*These figures use all students in the sample as the denominator, rather than just those students who reported to be seen a plasting delivery product use in the last 2 months.

tobacco or nicotine delivery product use in the last 3 months.

Students in Recovery

0.9 % of college students surveyed (0.0 % cis men,	1.4	% cis women, and	0.0	% transgender/gender non-conforming)
indicated they were in recovery from alcohol or other drug use.				

When, if ever, was the last time you:

		Drank A	lcohol	
			Trans/	
Percent (%		Cis Women	Gender Non- contorming	Total
Never	35.6	36.1	62.5	38.1
Within the last 2 weeks	28.9	31.5	0.0	29.2
More than 2 weeks ago but within the last 30 days	8.9	6.5	0.0	7.1
More than 30 days ago but within the last 3 months	11.1	12.0	12.5	11.3
More than 3 months ago but within the last 12	13.3	9.3	12.5	10.1
More than 12 months ago	2.2	4.6	12.5	4.2

*Students were instructed to include medical and non-medical use of cannabis.

Driving under the influence

• 9.4 % of college students reported driving after having *any alcohol* in the last 30 days.*

*Only students who reported driving in the last 30 days and drinking alcohol in the last 30 days were asked this question.

• 19.0 % of college students reported driving within 6 hours of using cannabis/marijuana in the last 30 days.* *Only students who reported driving in the last 30 days and using cannabis in the last 30 days were asked this question.

Estimated Blood Alcohol Concentration (or eBAC) of college students. Due to the improbability of a student surviving a drinking episode resulting in an extremely high eBAC, all students with an eBAC of 0.50 or higher are also omitted from these eBAC figures. eBAC is an estimated figure based on the reported number of drinks consumed during the last time they drank alcohol in a social setting, their approximate time of consumption, sex, weight, and the average rate of ethanol metabolism. Only students who reported drinking alcohol within the last 3 months answered these questions.

otal 64.9 11.9 2.4 4.2 5.4 11.3

			Trans/		
		Cis Men	Cis Women	Gender Non-	Total
Estimated BAC	Percent (%)			conforming	
< .08		81.8	79.6	100.0	80.8
< .10		81.8	83.7	100.0	83.6
Mean		0.05	0.04	0.01	0.04
Median		0.02	0.02	0.01	0.02
Std Dev		0.06	0.05	•	0.05

*Reported number of drinks consumed the last time students drank alcohol in a social setting.

		Cis Men	Cis Women	Trans/ Gender Non-	Total
Number of drinks	Percent (%)			conforming	
4 or fewer		72.7	82.7	100.0	80.5
5		9.1	11.5	0.0	10.4
6		0.0	3.8	0.0	2.6
7 or more		18.2	1.9	0.0	6.5
Mean		3.5	2.5	2.0	2.8
Median		2.0	2.0	2.0	2.0
Std Dev		3.6	1.7		2.4

*Only students who reported drinking alcohol in the last three months were asked this question.

Reported number of times college students consumed five or more drinks in a sitting within the last two weeks:

	Amon	g <u>all</u> students	surveyed	
Percent (%)		Cis Women	Trans/ Gender Non- conforming	Total
Did not drink alcohol in the last two weeks (includes				
non-drinkers)	71.1	68.5	100.0	70.8
None	17.8	16.7	0.0	16.7
1-2 times	8.9	13.0	0.0	10.7
3-5 times	2.2	0.9	0.0	1.2
6 or more times	0.0	0.9	0.0	0.6

*Only students who reported drinking alcohol in the last two weeks were asked this question.

*College students who drank alcohol reported experiencing the following in the last 12 months when drinking alcohol:

Percent (%)	Cis Men	Cis Women	Gender Non- conforming	Total
Did something I later regretted	7.1	15.6	0.0	12.4
Blackout (forgot where I was or what I did for a large period of time and cannot remember, even				
when someone reminds me)	10.7	6.3	0.0	7.2
Brownout (forgot where I was or what I did for short periods of time, but can remember once				
someone reminds me)	7.1	12.5	0.0	10.3
Got in trouble with the police	0.0	0.0	0.0	0.0
Got in trouble with college/university authorities	0.0	0.0	0.0	0.0
Someone had sex with me without my consent	0.0	1.6	0.0	1.1
Had sex with someone without their consent	0.0	0.0	0.0	0.0
Had unprotected sex	3.6	3.1	0.0	3.1
Physically injured myself	7.1	4.7	0.0	5.2
Physically injured another person	0.0	0.0	0.0	0.0
Seriously considered suicide	3.6	1.6	0.0	2.1
Needed medical help	0.0	0.0	0.0	0.0
Reported two or more of the above	11.5	14.5	0.0	12.8

*Only students who reported drinking alcohol in the last 12 months were asked these questions.

*Among those who reported drinking alcohol within the last two weeks

52.9

41.2

2.9

2.9

Trans/

0.0

0.0

0.0

0.0

57.1

36.7

4.1

2.0

Cis Women Gender Non- Total conforming

G. Sexual Behavior

When, if ever, was the last time you had:

when, if ever, was the last time you had.	Oldi Sch				
	Cis Men	Cis Women	Trans/ Gender Non-	Total	
Percent (%)			conforming		
Never	55.6	58.3	62.5	56.9	
Within the last 2 weeks	15.6	21.3	0.0	19.2	
More than 2 weeks ago but within the last 30 days	8.9	7.4	0.0	7.2	
More than 30 days ago but within the last 3 months	4.4	1.9	25.0	3.6	
More than 3 months ago but within the last 12	8.9	4.6	0.0	6.0	
More than 12 months ago	6.7	6.5	12.5	7.2	

	Anal intercourse				
			Trans/		
Percent (%)	Cis Men	Cis Women	Gender Non- conforming	Total	
Never	91.1	91.6	100.0	90.4	
Within the last 2 weeks	0.0	1.9	0.0	1.8	
More than 2 weeks ago but within the last 30 days	0.0	0.0	0.0	0.0	
More than 30 days ago but within the last 3 months	0.0	1.9	0.0	1.2	
More than 3 months ago but within the last 12	6.7	0.9	0.0	3.0	
More than 12 months ago	2.2	3.7	0.0	3.6	

*College students who reported having oral sex, or vaginal or anal intercourse within the last 12 months reported having the following number of sexual partners:

Oral sex

			Trans/		
		Cis Men	Cis Women	Gender Non-	Total
	Percent (%)			conforming	
None		0.0	0.0	0.0	0.0
1		68.4	91.5	100.0	81.7
2		15.8	4.3	0.0	7.0
3		0.0	2.1	0.0	4.2
4 or more		15.8	2.1	0.0	7.0
Mean		3.0	1.2	1.0	1.8
Median		1.0	1.0	1.0	1.0
Std Dev		6.4	0.6	0.0	3.4
*Only students who reported beying and say or yeginal			10		

*Only students who reported having oral sex, or vaginal or anal intercourse in the last 12 months were asked this question.

College students who reported having oral sex, or vaginal or anal intercourse within the last 30 days who reported using a condom or another protective barrier *most of the time* or *always*:

			Trans/	
	Cis Men	Cis Women	Gender Non-	Total
Percent (%)			conforming	
	27.3	6.7	0.0	14.0
	63.6	41.2	100.0	47.8
	0.0	50.0	0.0	66.7
	Percent (%)	Percent (%) 27.3 63.6	Percent (%) 27.3 6.7 63.6 41.2	Cis Men Cis Women Gender Non- Percent (%) Conforming 27.3 6.7 0.0 63.6 41.2 100.0

*Only students who reported having oral sex, or vaginal or anal intercourse in the last 30 days were asked these questions.

College students who reported having vaginal intercourse (penis in vagina) within the last 12 months were asked if they or their partner used any method to prevent pregnancy the last time they had vaginal intercourse:

				Trans/	
	Percent (%)	Cis Men	Cis Women	Gender Non- contorming	Total
Yes, used a method of contraception		76.5	82.9	50.0	80.6
No, did not want to prevent pregnancy		0.0	2.4	0.0	1.6
No, did not use any method		17.6	14.6	50.0	16.1
Don't know		5.9	0.0	0.0	1.6

*Only students who reported having oral sex, or vaginal or anal intercourse in the last 12 months were asked this question.

Vaginal intercourse						
Cis Men	Cis Women	Trans/ Gender Non- conforming	Total			
55.6	60.2	75.0	59.3			
20.0	24.1	12.5	21.6			
4.4	8.3	0.0	6.6			
4.4	1.9	12.5	3.6			
8.9	4.6	0.0	6.0			
6.7	0.9	0.0	3.0			

Cis Men n =	45
Cis Women n =	111
Trans/GNC n =	8

*Those students who reported using a contraceptive use the last time they had vaginal intercourse, reported they (or their partner) used the following methods:

			Trans/	
	Cis Men Percent (%)	Cis Women	Gender Non- conforming	Total
Birth control pills (monthly or extended cycle)	15.4	29.4	0.0	24.0
Birth control shots	0.0	0.0	0.0	0.0
Birth control implants	7.7	11.8	100.0	12.0
Birth control patch	0.0	0.0	0.0	0.0
The ring	0.0	0.0	0.0	0.0
Emergency contraception ("morning after pill" or "Plan B")	7.7	5.9	0.0	6.0
Intrauterine device	7.7	11.8	0.0	10.0
External/male condom	61.5	52.9	100.0	56.0
Internal/female condom	0.0	0.0	0.0	0.0
Diaphragm or cervical cap	0.0	0.0	0.0	0.0
Contraceptive sponge	0.0	0.0	0.0	0.0
Withdrawal	7.7	14.7	0.0	12.0
Fertility awareness (calendar, mucous, basal body temperature)	7.7	2.9	0.0	4.0
Sterilization (hysterectomy, tubes tied, vasectomy)	0.0	0.0	0.0	2.0
Other method	7.7	0.0	0.0	2.0
External/Male condom use plus another method	15.4	23.5	100.0	22.0
Any two or more methods (excluding external/male condoms)	7.7	5.9	0.0	6.0

*Only students who reported they or their partner used a method the last time they had vaginal intercourse were asked these questions. This question was select all that apply.

College students who reported having vaginal intercourse (penis in vagina) within the last 12 months were asked if they or their partner used emergency contraception ("morning after pill" or "Plan B") in the last 12 months:

Yes (23.5 % cis men, 26.8 % cis women,

50.0 % trans/gender non-conforming)

College students who reported having vaginal intercourse (penis in vagina) within the last 12 months were asked if they experienced an unintentional pregnancy or got someone pregnant within the last 12 months:

Yes (0 % cis men, 0 % cis women, 0.0 % trans/gender non-conforming)

H. Mental Health and Wellbeing

Kessler 6 (K6) Non-Specific Psychological Distress Score (Range is 0-24)

		Cis Men	Cis Women	Trans/ Gender Non-	Total
	Percent (%)			conforming	
No or low psychological distress (0-12)		93.3	78.0	42.9	80.7
Serious psychological distress (13-24)		6.7	22.0	57.1	19.3
Mean		5.71	8.83	15.86	8.26
Median		6.00	9.00	18.00	8.00
Std Dev		4.75	5.36	7.03	5.63

UCLA Loneliness Scale (ULS3) Score (Range is 3-9)

			Trans/	
	Cis Men	Cis Women	Gender Non-	Total
Percent	: (%)		conforming	
Negative for loneliness (3-5)	57.8	45.0	37.5	47.9
Positive for loneliness (6-9)	42.2	55.0	62.5	52.1
Mean	4.93	5.72	6.25	5.54
Median	5.00	6.00	6.00	6.00
Std Dev	1.74	1.97	1.83	1.93

Diener Flourishing Scale – Psychological Well-Being (PWB) Score (Range is 8-56)

(higher scores reflect a higher level of psychological well-being)

			Trans/	
	Cis Me	en Cis Wome	en Gender Non-	Total
			conforming	
	46.04	41.96	34.38	42.77
	48.00	43.00	34.00	44.00
	7.53	8 8.65	8.75	8.60

Cis Men n =	45
Cis Women n =	111
Trans/GNC n =	8

The Connor-Davison Resilience Scale (CD-RISC2) Score (Range is 0-8)

(higher scores reflect greater resilience)

			Trans/	
	Cis Men	Cis Women	Gender Non-	Total
			conforming	
Mean	6.51	5.55	3.88	5.73
Median	7.00	6.00	5.00	6.00
Std Dev	1.31	1.69	2.70	1.76

Self injury

• 13.1 % of college students surveyed (4.4 % cis men, 13.6 % cis women, and 37.5 % trans/gender non-conforming) indicated they had <u>intentionally</u> cut, burned, bruised, or otherwise injured themselves within the last 12 months.

Within the last 12 months, have you had problems or challenges with any of the following:

				Trans/	
	Percent (%)	Cis Men	Cis Women	Gender Non- conforming	Total
Academics		31.1	52.7	75.0	47.0
Career		26.7	38.2	62.5	35.7
Finances		22.2	50.9	62.5	43.5
Procrastination		64.4	73.6	100.0	71.4
Faculty		8.9	13.6	25.0	13.1
Family		11.1	36.4	62.5	31.5
Intimate relationships		26.7	31.8	50.0	31.5
Roommate/housemate		11.1	20.0	50.0	19.6
Peers		18.2	17.4	50.0	19.9
Personal appearance		28.9	64.5	87.5	55.4
Health of someone close to me		15.6	28.2	75.0	26.8
Death of a family member, friend, or some	one close				
to me		6.7	22.9	50.0	19.2
I was bullied		2.2	5.5	25.0	5.4
l was cyberbullied		2.2	1.8	25.0	3.0
l was hazed		0.0	1.8	12.5	1.8
I experienced microagression(s)		11.1	15.5	50.0	16.7
I was sexually harassed		4.4	6.4	25.0	7.7
I experienced discrimination		8.9	8.2	25.0	9.5
*Only students who reported a problem or challenge in t	he last 12 mon	ths were asked	l about level of di	stress.	

Students reporting none of the above	24.4	5.5	0.0	11.3
Students reporting only one of the above	11.1	12.7	0.0	11.3
Students reporting 2 of the above	17.8	5.5	0.0	8.3
Students reporting 3 or more of the above	46.7	76.4	100.0	69.0

* Of those reporting this issue, it caused

	moderate or high distress					
		Trans/				
Cis Men	Cis Women	Gender Non- conforming	Total			
92.9	82.5	83.3	84.6			
83.3	73.2	100.0	78.0			
80.0	76.4	80.0	77.8			
55.2	71.3	87.5	67.2			
25.0	33.3	100.0	40.9			
100.0	74.4	100.0	78.8			
58.3	57.1	75.0	60.4			
40.0	54.5	75.0	54.5			
37.5	52.6	100.0	54.5			
38.5	64.3	85.7	63.0			
42.9	50.0	33.3	47.7			
33.3	75.0	100.0	74.2			
100.0	80.0	100.0	87.5			
0.0	0.0	100.0	50.0			
0.0	0.0	100.0	50.0			
40.0	31.3	50.0	37.0			
50.0	66.7	100.0	75.0			
50.0	75.0	100.0	73.3			

Suicide Behavior Questionnaire-Revised (SBQR) Screening Score (Range is 3-18)

			Trans/	
	Cis Men	Cis Women	Gender Non-	Total
Percent (%	6)		conforming	
Negative suicidal screening (3-6)	91.1	78.0	50.0	79.0
Positive suicidal screening (7-18)	8.9	22.0	50.0	21.0
Mean	4.13	4.98	6.50	4.95
Median	3.00	3.00	7.00	3.00
Std Dev	2.40	2.91	3.63	3.03

Suicide attempt

- 1.8 % of college students surveyed 0 % cis men, 1.8 % cis women, and
- 0 % trans/gender non-conforming indicated they had attempted suicide within the last 12 months.

Within the last 30 days, how would you rate the overall level of stress experienced:

	Percent (%)	Cis Men	Cis Women	Trans/ Gender Non- conforming	Total
No stress		6.7	0.0	0.0	1.8
Low		35.6	21.1	12.5	25.1
Moderate		48.9	55.0	37.5	52.1
High		8.9	23.9	50.0	21.0

I. Acute Conditions

College students reported being diagnosed by a healthcare professional within the last 12 months with:

			Trans/	
Percent (%)	Cis Men	Cis Women	Gender Non- contorming	Total
Bronchitis	0.0	2.8	14.3	2.5
Chlamydia	0.0	0.0	0.0	0.0
Chicken Pox (Varicella)	0.0	0.0	0.0	0.0
Cold/virus or other respiratory illness (for example:				
sinus infection, ear infection, strep throat, tonsillitis,				
pharyngitis, or laryngitis)	17.8	24.3	0.0	22.1
Concussion	0.0	0.0	0.0	0.0
Gonorrhea	2.3	0.0	0.0	0.6
Flu (influenza) or flu-like illness	8.9	13.3	0.0	11.2
Mumps	0.0	0.0	0.0	0.0
Mononucleosis (mono)	0.0	0.0	0.0	0.0
Orthopedic injury (for example: broken bone,				
fracture, sprain, bursitis, tendinitis, or ligament injury)	0.0	0.9	0.0	0.6
Pelvic Inflammatory Disease	0.0	0.0	0.0	0.0
Pneumonia	0.0	0.0	0.0	0.0
Shingles	0.0	1.0	0.0	0.6
Stomach or GI virus or bug, food poisoning or gastritis	0.0	9.4	0.0	6.8
Urinary tract infection	0.0	4.8	0.0	4.3

Cis Men n =	45
Cis Women n =	111
Trans/GNC n =	8

Cis Men n =	45
Cis Women n =	111
Trans/GNC n =	8

J. Ongoing or Chronic Conditions

The questions for the ongoing or chronic conditions are presented differently in this report than the order they appear in the survey. In the survey, all items appear in a single list, ordered alphabetically. In this report, the conditions are presented in groups to ease burden on the reader. The findings are divided into mental health conditions, STIs and other chronic infections, and other ongoing or chronic conditions in this report.

							-
	-	-	ported <u>ever</u> be	ing	contact w	ith healthcare	-
Mental Health	dia	gnosed with	the following:			within last 12	
			Trans/		-		Trans/
Percent (%)	Cis Men	Cis Women	Gender Non- conforming	lotal	Cis Men	Cis Women	Gender Non conforming
ADD/ADHD - Attention Deficit/Hyperactivity			comorning				contorning
Disorder	2.2	4.7	28.6	4.9	100.0	60.0	100.0
Alcohol or Other Substance Use Disorder	0.0	2.8	0.0	1.9	0.0	33.3	0.0
Anxiety (for example: Generalized Anxiety, Social							
Anxiety, Panic Disorder, Specific Phobia)	8.9	29.0	42.9	24.7	75.0	61.3	100.0
Autism Spectrum	2.2	0.0	0.0	0.6	100.0	0.0	0.0
Bipolar and Related Conditions (for example: Bipolar I,							
II, Hypomanic Episode)	0.0	1.9	28.6	2.5	0.0	100.0	100.0
Borderline Personality Disorder (BPD), Avoidant							
Personality, Dependent Personality, or another							
personality disorder	0.0	0.0	0.0	0.6	0.0	0.0	0.0
Depression (for example: Major depression, persistent							
depressive disorder, disruptive mood disorder)	8.9	21.5	28.6	19.1	50.0	60.9	100.0
Eating Disorders (for example: Anorexia Nervosa,							
Bulimia Nervosa, Binge-Eating)	0.0	4.7	0.0	3.1	0.0	40.0	0.0
Gambling Disorder	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Insomnia	2.3	9.7	28.6	8.9	100.0	50.0	100.0
Obsessive-Compulsive and Related Conditions (for							
example: OCD, Body Dysmorphia, Hoarding,							
Trichotillomania and other body-focused repetitive							
behavior disorders)	0.0	3.7	0.0	2.5	0.0	100.0	0.0
PTSD (Posttraumatic Stress Disorder), Acute Stress							
Disorder, Adjustment Disorder, or another trauma- or							
stressor- related condition	2.2	0.9	14.3	2.5	100.0	0.0	100.0
Schizophrenia and Other Psychotic Conditions (for							
example: Schizophrenia, Schizoaffective Disorder,							
Schizophreniform Disorder, Delusional Disorder)	0.0	0.0	14.3	0.6	0.0	0.0	100.0
Tourette's or other neurodevelopmental condition							
not already listed	0.0	0.9	0.0	0.6	0.0	100.0	0.0
Traumatic brain injury (TBI)	0.0	0.0	0.0	0.6	0.0	0.0	0.0

*Only students who reported ever being diagnosed were asked about contact with a healthcare or mental health professional within the last 12 months.

Percent (%)	Cis Men	Cis Women	Trans/ Gender Non- conforming	Total
Students reporting none of the above	86.7	62.6	57.1	68.5
Students reporting only one of the above	4.4	15.0	0.0	11.1
Students reporting both Depression and Anxiety	6.7	16.8	28.6	15.4
Students reporting any two or more of the above				
(excluding the combination of Depression and Anxiety)	2.2	5.6	14.3	4.9

*Of those ever diagnosed, those reporting ofessional

Non- Total

75.0

33.3

65.0

100.0

100.0

100.0

64.5

40.0

64.3

100.0

75.0

100.0

100.0

0.0

0.0

Cis Men n =	45
Cis Women n =	111
Trans/GNC n =	8

*Of those ever diagnosed, had contact with healthcare or MH professional within last 12

	month	S	
		Trans/	
Cis Men	Cis Women	Gender Non-	Total
		conforming	
0.0	0.0	0.0	0.0
0.0	0.0	0.0	0.0
0.0	0.0	0.0	0.0
100.0	0.0	0.0	50.0

College students reported ever being

STI's/Other	chronic	infections
-------------	---------	------------

STI's/Other chronic infections		dia	gnosed with the	e following:	
				Trans/	
		Cis Men	Cis Women G	ender Non-	Total
F	Percent (%)		c	onforming	
Genital herpes		0.0	0.0	0.0	0.0
Hepatitis B or C		0.0	0.0	0.0	0.0
HIV or AIDS		0.0	0.0	0.0	0.0
Human papillomavirus (HPV) or genital warts		2.2	0.9	0.0	1.2

*Only students who reported ever being diagnosed were asked about contact with a healthcare or mental health professional within the last 12 months.

Other Chronic /Ongoing Medical Conditions	-	-	ported <u>ever</u> be the following:	ing		*Of those ever diagnosed, had contact w healthcare or MH professional within las months			
Percent (%)	Cis Men	Cis Women	Trans/ Gender Non- conforming	Total	Cis Men	Cis Women	Trans/ Gender Non- conforming	Total	
Acne	13.3	21.0	25.0	19.9	50.0	45.5	50.0	45.2	
Allergies - food allergy	8.9	10.3	14.3	9.9	25.0	36.4	0.0	31.3	
Allergies - animals/pets	11.1	11.2	28.6	12.3	0.0	33.3	50.0	26.3	
Allergies - environmental (for example: pollen, grass,									
dust, mold)	15.6	22.6	57.1	22.4	14.3	45.8	25.0	37.1	
Asthma	13.3	10.4	14.3	11.2	16.7	45.5	0.0	33.3	
Cancer	2.2	2.8	0.0	2.5	100.0	66.7	0.0	75.0	
Celiac disease	0.0	0.9	0.0	0.6	0.0	100.0	0.0	100.0	
Chronic pain (for example: back or joint pain, arthritis,									
nerve pain)	2.2	5.7	0.0	4.3	0.0	66.7	0.0	57.1	
Diabetes or pre-diabetes/insulin resistance	8.9	0.9	0.0	3.1	100.0	100.0	0.0	100.0	
Endometriosis	0.0	1.9	0.0	1.2	0.0	50.0	0.0	50.0	
Gastroesophageal Reflux Disease (GERD) or acid									
reflux	0.0	3.8	0.0	2.5	0.0	66.7	0.0	66.7	
Heart & vascular disorders (for example: atrial									
fibrillation or other cardiac arrhythmia, mitral valve									
prolapse or other valvular heart disease, congenital									
heart condition)	0.0	1.9	0.0	1.3	0.0	50.0	0.0	50.0	
High blood pressure (hypertension)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
High cholesterol (hyperlipidemia)	4.4	2.8	14.3	3.7	100.0	50.0	100.0	80.0	
Irritable bowel syndrome (spastic colon or spastic									
bowel)	0.0	2.9	14.3	2.5	0.0	66.7	100.0	75.0	
Migraine headaches	2.3	9.7	0.0	8.3	0.0	30.0	0.0	25.0	
Polycystic Ovarian Syndrome (PCOS)	0.0	5.7	0.0	4.3	0.0	66.7	0.0	71.4	
Sleep Apnea	0.0	0.9	0.0	0.6	0.0	100.0	0.0	100.0	
Thyroid condition or disorder	0.0	6.6	14.3	5.0	0.0	85.7	100.0	87.5	
Urinary system disorder (for example: bladder or									
kidney disease, urinary reflux, interstitial cystitis)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
*Only students who reported ever being diagnosed were asked about co	ntact with a h	ealthcare or ment	al health profession	nal within t	the last 12 months.				

Cis Men n =	45
Cis Women n =	111
Trans/GNC n =	8

Students who reported being diagnosed with diabetes or pre-diabetes/insulin resistance, indicated they had:

	Percent (%)	Cis Men	Cis Women	Trans/ Gender Non- conforming	Total
Type I Diabetes		0.0	0.0	0.0	0.0
Type II Diabetes		0.0	0.0	0.0	0.0
Pre-diabetes or insulin resistance		100.0	100.0	0.0	100.0
Gestational Diabetes		0.0	0.0	0.0	0.0

K. Sleep

Reported amount of time to usually fall asleep at night (sleep onset latency):

				Trans/	
	Percent (%)	Cis Men	Cis Women	Gender Non- conforming	Total
Less than 15 minutes		33.3	39.1	12.5	36.7
16 to 30 minutes		40.0	30.0	25.0	33.1
31 minutes or more		26.7	30.9	62.5	30.2

Over the last 2 weeks, students reported the following average amount of sleep (excluding naps):

		On weeknights					
		Trans/					
	Cis Men	Cis Women	Gender Non-	Total			
Per	rcent (%)		conforming				
Less than 7 hours	37.8	45.5	62.5	44.4			
7 to 9 hours	62.2	51.8	37.5	53.8			
10 or more hours	0.0	2.7	0.0	1.8			

Students reported the following on 3 or more of the last 7 days:

		Felt tired or sleepy during the day			
		Cis Men	Trans/ en Cis Women Gender Non- Total		Total
	Percent (%)		Cis women	conforming	TOLAI
0 days		4.4	3.6	0.0	3.6
1-2 days		20.0	23.6	12.5	21.3
3-5 days		46.7	38.2	37.5	42.0
6-7 days		28.9	34.5	50.0	33.1

On weekend nights				
	Trans/			
Cis Men	Cis Women	Gender Non-	Total	
		conforming		
11.1	18.2	50.0	18.3	
71.1	73.6	12.5	69.8	
17.8	8.2	37.5	11.8	

Got enough sleep so that they felt rested				
		Trans/		
Cis Men	Cis Women	Gender Non-	Total	
		conforming		
6.7	20.0	37.5	16.6	
33.3	43.6	50.0	42.0	
42.2	26.4	0.0	29.0	
17.8	10.0	12.5	12.4	

Demographics and Sample Characteristics

• Age		 Students describe themselven 	ves as		
18 - 20 years:	53.7 %	Straight/Heterosexual:	72.1	%	
21 - 24 years:	28.0 %	Asexual:	3.0	%	
25 - 29 years:	10.4 %	Bisexual:	15.8	%	
30+ years:	7.9 %	Gay:	0.6	%	
Mean age: 22.2 years		Lesbian:	3.0	%	
Median age: 20.0 years		Pansexual:	2.4	%	
		Queer:	2.4	%	
● Gender*		Questioning:	0.6	%	
Cis Women:	64.9 %	Identity not listed above:	0.0	%	
Cis Men:	26.3 %				
Transgender/Gender Non-conforming:	4.7 %	 Housing 			
* See note on page 2 regarding gender categories		Campus or university housing	g: 43.4	%	
		Fraternity or sorority residen	ce: 0.6	%	
 Student status 		Parent/guardian/other family		%	
1st year undergraduate:	33.1 %	Off-campus:	33.7	%	
2nd year undergraduate:	5.4 %	Temporary or "couch surfing"			
3rd year undergraduate:	30.7 %	Don't have a place to live:	0.0		
4th year undergraduate:	10.8 %	Other:	0.6		
5th year or more undergraduate:	1.8 %				
Master's (MA, MS, MFA, MBA, etc.):	5.4 %	 Students describe themsels 	ves as**		
Doctorate (PhD, EdD, MD, JD, etc.):	12.7 %	American Indian or Native Al		%	
Not seeking a degree:	0.0 %	Asian or Asian American:	37.4		
Other:	0.0 %	Black or African American:	3.5		
other.	0.0 /0	Hispanic or Latino/a/x:	37.4		
Full-time student:	97.5 %	Middle Eastern/North Africa		70	
Part-time student:	1.2 %	or Arab Origin:	2.9	0/	
Other student:	1.2 %	Native Hawaiian or Other	2.7	70	
Other student.	1.2 /0	Pacific Islander Native:	0.0	0/	
Polationship status		White:	26.3		
Relationship status	59.0 %	Biracial or Multiracial:	4.7		
Not in a relationship:					
In a relationship, not married/partnered:	31.3 %	Identity not listed above:	1.8	70	
Married/partnered:	9.6 %	If I live on in an I of in a factor on a	**		
 Primary Source of Health Insurance** 		If Hispanic or Latino/a/x, are y Mexican, Mexican American,		%	
College/university sponsored SHIP plan:	40.9 %	Puerto Rican:	3.1		
Parent or guardian's plan:	51.5 %	Cuban: 0.0 %			
Employer (mine or my spouse/partners):	2.3 %			70	
Medicaid, Medicare, SCHIP, or VA:	2.3 % 9.4 %	Another Hispanic, Latino/a/x, or Spanish Origin: 32.8 %			
Bought a plan directly or from the exchange:	0.0 %	Spanish Origin.	52.0	70	
Embassy/sponsoring agency (international):	0.0 %	If Asian or Asian American, are	2 VOU**		
Another source:	0.0 % 1.2 %	East Asian:	31.3 %		
	1.2 %	Southeast Asian:	31.3		
Have insurance, but don't know source: Don't have health insurance:	1.8 % 1.2 %	South Asian:	37.5		
Don't know if I have health insurance:	0.0 %	Other Asian:	0.0	70	
Students that selected more than one source:	11.1 %	• Vice status & location of st	udv		
		 Visa status & location of st 	-		
• Student Veteran:	0.0 %		Do not have/need a U.S.	Have/need a	
			visa	U.S. visa	
 Parent or primary responsibility for someone 		Studying	75.2 %	18.6 %	
else's child/children under 18 years old:	3.6 %	in U.S.		10.0 /0	
		Studying	5.6 %	0.6 %	
**this question was select all that apply, totals may add up to over 100%		Outside U.S.	510 /0		
				17	

• First generation students:	50.9 %	 Participated in organized college athletics 	
(Proportion of students for whom no		Varsity:	0.6 %
parent/guardian have completed a		Club sports:	3.0 %
bachelor's degree)		Intramurals:	3.7 %
• Do you have any of the following?		• Member of a <u>social</u> fraternity or sorority	
Attention Deficit/Hyperactivity Disorder		Greek member:	3.6 %
(ADD or ADHD):	7.4 %		
Autism Spectrum Disorder:	1.8 %	 Dropout Intention 	
Deaf/Hearing loss:	0.6 %	Very, moderately, or slightly likely to:	
Learning disability:	2.5 %	Leave school and transfer schools:	11.7 %
Mobility/Dexterity disability:	0.6 %	Leave school without transferring:	4.9 %
Blind/low vision:	6.1 %		
Speech or language disorder:	0.0 %		